	Туре	L #	Hits	Search Text	DBs
1	BRS	L1			USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Туре	L #	Hits	Search Text	DBs	Time Stamp	Comment s
9	BRS	L9		Yang-G\$.in. and gain near5 control	USPA T	2004/10/1 8 15:48	

	Туре	L #	Hits	Search Text	DBs
1	BRS	L24	·	(375/345.ccls. or 330/278.ccls.) and (analog adj3 digital or A/D or DAC) and AGC near3 loop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L29	1 1 1 / / I		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Туре	L#	Hits		DBs
1	BRS	L14		455/226.1-226.2,230.ccl s. and ADC and DAC	
2	BRS	L15	17	455/226.1-226.2,230.ccl s. and ADC and DAC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L16	86	455/230-254.ccls. and gain near2 factor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	ь17 ·	82	1 -	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L18	99	455/230-254.ccls. and A/D and D/A	USPAT

	Туре	L #	Hits		DBs
1	BRS	L14	12	455/226.1-226.2,230.ccl s. and ADC and DAC	USPAT
2	BRS	L15	17	1/155/2/6 1=2/6 / 2311 CC!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L16	86	1/155/23H=25/1 CCIS 3NA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L17	82	gain near2 factor and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB